

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	((second or secondary or alternate or alternative or redundant or backup) near3 (port or socket) and (failure or fail or failed or error or fault or abnormal or disconnect or disconnected) and (reconnect or reconnecting or reopen or reopening)).clm.	US-PGPUB	OR	ON	2007/03/22 22:53
S1	247	714/1-57.ccls. and socket same (error fail\$3 fault abnormal\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/01 17:45
S2	81	(second\$3 alternat\$3 backup) near1 socket same (error fail\$3 fault abnormal\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/22 17:45
S3	0	(failover) near1 socket same (error fail\$3 fault abnormal\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/22 17:45
S6	165	714/1-57.ccls. and (failover second\$3 alternat\$3 backup) near1 port same (error fail\$3 fault abnormal\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/22 17:53
S11	101	710/38.ccls. and (port socket) same (error fault abnormal\$3 fail\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/02 14:57
S15	197	709/221,225,227,228,237,245.ccls. and (port socket) near3 (error fail\$3 abnormal\$3 fault)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/03 21:00
S16	277	714/3,4,17,18,25,26,36,38,39,43,50,51.ccls. and port near3 (error fail\$3 fault abnormal\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/03 17:03
S19	17	709/201-253.ccls. and ((port socket) near2 (second\$3 alternat\$3 backup failover) and (clos\$) near3 (port socket)).ab,bsum.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/05 10:22
S20	1	("6944785").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/05 10:43
S21	271	(340/825.01).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/05 12:57

EAST Search History

S22	88	(circunavigat\$3 circumvent\$3 avoid\$3 sidestep\$3 "get around" "getting around" "go around" "going around") near1 firewall and (port socket)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/05 13:17
S25	53	(port near3 (scan scann\$3)).ab, bsum. and open near1 port	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/05 15:02
S28	10	((("6523130") or ("6487677") or ("6484206") or ("20020078208") or ("6377996") or ("5941950") or ("5802306") or ("5754752") or ("5652832") or ("5142622"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/06 19:02
S29	12	714/15.ccls. and (port socket) near5 (fail\$3 fault error)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/17 00:54
S30	25	714/708,709,798,816,821.ccls. and (port socket) with (fail\$3 error fault abnormal\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/17 00:54
S32	250	reconnect\$3 near3 (socket port) and (processor cpu server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/18 11:31
S33	42	reopen\$3 near3 (socket port) and (processor cpu server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/18 12:14
S40	381	714/4.ccls. and (socket port) same (error fault fail\$3 abnormal\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/21 09:36
S41	129	multihom\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/22 17:30
S42	2	10/012623	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/22 17:30
S43	0	(failover) near1 socket same (disconnect\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/22 17:45

EAST Search History

S44	111	(second\$3 alternat\$3 backup) near1 socket same (disconnect\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/22 17:45
S45	21	714/1-57.ccls. and (failover second\$3 alternat\$3 backup) near1 port same (disconnect\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/22 17:53
S46	4	((("6148411") or ("6678835") or ("6732186") or ("6760859"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/22 20:05
S47	6	((("4975914") or ("5754752") or ("6003084") or ("6377996") or ("6697824") or ("6700868"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/22 20:24

☐ Search Session History

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[SUPPORT](#)

Edit an existing query or
compose a new query in the
Search Query Display.

Thu, 22 Mar 2007, 10:54:43 PM EST

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

#1 (((second or secondary or alternate or alternative or redundant or backup) and (port or socket) and (failure or fail or failed or error or fault or abnormal or disconnect or disconnected) and (reconnect or reconnecting or reopen or reopening))
<in>metadata)

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE – All Rights